CERTIFICATE OF ANALYSIS

DUAL REGULATOR DIA-30-C20 10MG · 1336.OPT.260915-R1

Scan to Verify COA Authenticity



SAMPLE INFORMATION

Sample Name: Dual Regulator DIA-30-C20 10mg

Sample ID: 1336.OPT.260915

Client: Ovrform LLC

Intended Use: Research Use Only

Report Date: October 22, 2026

Tested Peptide: DUAL REGULATOR DIA-30-C20 10MG

Lot Number: Tx81926

Sample Matrix: Lyophilized Peptide

Received Date: September 15, 2026

IDENTITY	NET CONTENT	PURITY
CONFIRMED	10.11 MG/VIAL	99.3%
LC-MS	HPLC	RP-HPLC

RESULTS SUMMARY

TEST PANEL	METHOD	SPECIFICATION	RESULT	STATUS
Identity Verification	LC-MS	Confirmation	Confirmed	TESTED
Net Content	HPLC	-	10.11 mg/vial	TESTED
Purity	RP-HPLC	≥ 95%	99.3%	TESTED

QUALITY GUARANTEED

Analyst
Bryan Zahakaylo
Date: October 22, 2026

ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, and LOQ = Limit of Quantitation. Results reported herein relate only to the specific sample tested. Optiq Health Labs, LLC makes no claims regarding the efficacy, safety, suitability, purity, sterility, or other risks associated with any detected or non-detected compounds, analytes, or reported values. This Certificate of Analysis shall not be reproduced except in full, without the written approval of Optiq Health Labs, LLC. This Certificate of Analysis is limited to the sample received and tested by the laboratory and does not represent or warrant the quality, composition, or characteristics of any other sample, lot, batch, product, or material. Any statements, representations, labeling, or claims regarding the intended use, application, or purpose of the tested material are solely those of the client and do not constitute, imply, or reflect any recommendation, endorsement, certification, or intended use determination by Optiq Health Labs, LLC.

info@optiqhealthlabs.com (949) 841-2437 www.optiqhealthlabs.com 1920 E Warner Avenue Unit N, Santa Ana CA, 92705